#### In the Claims

Applicant has submitted a new complete claim set indicating marked up claims with insertions and deletions indicated by underlining and strikeouts, respectively.

1. (Original) A compound of formula (I)

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 
 $R_5$ 

or a salt thereof, or a solvate thereof, wherein;

R<sub>1</sub> and R<sub>2</sub> each independently represents C<sub>1-6</sub>alkoxy or halo;

 $R_3$  and  $R_4$  each independently represents hydrogen,  $C_{1-6}$ alkoxy, aryl $C_{1-6}$ alkoxy, hydroxy $C_{1-6}$ alkoxy, hydroxy $C_{1-6}$ alkoxy, dihydroxy $C_{1-6}$ alkoxy, mono-and di- $(C_{1-6}$ alkoxy or amino $C_{1-6}$ alkoxy and;

 $R_5$  represents-NR<sub>s</sub>R<sub>t</sub> wherein R<sub>s</sub> and R<sub>t</sub> each independently represent hydrogen, unsubstituted or substituted C<sub>1-6</sub>alkyl, or unsubstituted or substituted heterocyclyl.

- 2. (Original) A compound according to claim 1 wherein  $R_1$  and  $R_2$  each independently represents methoxy or chloro.
- 3. (Previously presented) A compound according to claim 1 wherein  $R_1$  is 5-chloro and  $R_2$  is 6-chloro.
- 4. (Original) A compound according to claim 1 wherein R<sub>3</sub> is hydroxy, methoxy, ethoxy, propoxy, benzyloxy, carboxyethoxy, hydroxyethoxy, dihydoxypropoxy, dimethylaminoethoxy or aminopropoxy.

- 5. (Original) A compound according to claim 1 wherein R<sub>4</sub> is hydrogen or methoxy.
- 6. (Original) A compound according to claim 1 wherein  $R_s$  or  $R_t$  represent unsubstituted or substituted  $C_{1-6}$ alkyl, or unsubstituted or substituted heterocyclyl.
- 7. (Previously presented) A compound according to claim 1 wherein  $R_s$  or  $R_t$  represent 3-[4-(3-methoxyphenyl)piperazin-1-yl]propyl or 3-[4-(2-pyrimidinyl) piperazin-1-yl]propyl.
- 8. (Original) A compound according to claim 1 wherein  $R_s$  or  $R_t$  represent an unsubstituted or substituted piperidinyl group.
- 9. (Previously presented) A compound according to claim 1 wherein  $R_s$  or  $R_t$  represent a 1,2,2,6,6-pentamethylpiperidin-4-yl group or a 2,2,6,6-tetramethylpiperidin-4-yl group.
- 10. (Original) A compound according to claim wherein R<sub>t</sub> is hydrogen.
- 11. (Currently amended) A compound of formula (IA) according to claim 1

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 
 $R_5$ 

wherein;

 $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ , and  $R_5$  are as defined in formula (I) of claim 1,  $R_s$  is 3-[4-(3-methoxyphenyl)piperazin-1-yl]propyl or 3-[4-(2-pyrimidinyl)piperazin-1-yl]propyl, and  $R_t$  is hydrogen or a salt thereof or a solvate thereof.

## 12. (Currently amended) A compound of formula (IB) according to claim 1

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 
 $R_8$ 

wherein;

 $R_4$ ,  $R_2$ ,  $R_3$ ,  $R_4$ , and  $R_5$  are as defined in formula (I) of claim 1,  $R_s$  is 3-pyridyl or 3-(6-methoxy)pyridyl, and  $R_t$  is hydrogen or a salt thereof or a solvate thereof.

# 13. (Currently amended) A compound of formula (IC) according to claim 1

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 
 $R_5$ 

wherein;

 $R_2$ ,  $R_4$ , and  $R_5$  are as defined in formula (I) of claim 1,  $R_s$  is 2,2,6,6-tetramethylpiperidin-4-yl,  $R_t$  is hydrogen, R3 is 3-ethoxy, and  $R_1$  is 5-chloro or 5-methoxy or a salt thereof or a solvate thereof.

### 14. (Currently amended) A compound of formula (ID) according to claim 1

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 

wherein;

 $R_1$ ,  $R_2$ ,  $R_4$ , and  $R_5$  are as defined in formula (I) of claim 1,  $R_s$  is 2,2,6,6-tetramethylpiperidin-4-yl,  $R_t$  is hydrogen,  $R_3$  is 2-methoxy, 3-methoxy, 3-ethoxy, 3-propoxy, 3-benzyloxy, 3-(2-carboxyethoxy), 3-(2-hydroxyethoxy), 3-(2,3-dihydroxypropoxy), 3-(2-dimethylaminoethoxy) or 3-(3-aminopropoxy) and 3-hydroxy and  $R_4$  is 5-methoxy or hydrogen or a salt thereof or a solvate thereof.

## 15. (Currently amended) A compound of formula (IE) according to claim 1

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 
 $R_5$ 

wherein;

 $R_1$ ,  $R_2$ ,  $R_4$ , and  $R_5$  are as defined in formula (I) of claim-1,  $R_s$  is 1,2,2,6,6-pentamethylpiperidin-4-yl,  $R_t$  is hydrogen, and  $R_3$  is 2-methoxy or 3-ethoxy, and  $R_4$  is 5-methoxy or hydrogen or a salt thereof or a solvate thereof.

### 16. (Currently amended) A compound of formula (IF) according to claim 1

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_5$ 
 $R_5$ 
 $R_6$ 

wherein;

 $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_4$ , and  $R_5$  are as defined in formula (I) of claim 1,  $R_s$  is 1-benzylpiperidin-4-yl, 1-(4-ethoxycarbonyl)butylpiperydin-4-yl, 1-(4-hydroxycarbonyl)butylpiperydin-4-yl and  $R_t$  is hydrogen or a salt thereof or a solvate thereof.

17. (Original) A compound selected from the list consisting of:

4-(5,6-dichloro-1H-indol-2-yl)-3-ethoxy-N-(2,2,6,6-tetramethylpiperidin-4-yl)-benzamide;

4-(5,6-dichloro-1H-indol-2-yl)-3-benzyloxy-N-(2,2,6,6-tetramethylpiperidin-4-yl)-benzamide;

4-(5,6-dichloro-1H-indol-2-yl)-3-hydroxy-N-(2,2,6,6-tetramethylpiperidin-4-yl)-benzamide;

4-(5,6-dichloro-1H-indol-2-yl)-3-propoxy-N-(2,2,6,6-tetramethylpiperidin-4-yl)benzamide;

4-(5,6-dichloro-1H-indol-2-yl)-N-[3-[4-(3-methoxyphenyl)piperazin-1-yl]propyl]-3-methoxybenzamide;

4-(5,6-dichloro-1H-indol-2-yl)-N-[3- [4- (2-pyrimidyl)piperazin-1-yl]propyl]-3-methoxybenzamide;

- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-methoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)-3-ethoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(3-pyridyl)-3-ethoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(3-(6-methoxypyridyl))-3-ethoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(1-benzylpiperidin-4-yl)-3-ethoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-2,5-dimethoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(1,2,2,6,6-pentamethylpiperidin-4-yl)-2,5-dimethoxybenzamide;
- 4-(5-methoxy-6-chloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-ethoxybenzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-((1-ethoxycarbonylpentyl)piperidin-4-yl)-benzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-3-methoxy-N-((carboxybutyl)piperidin-4-yl)benzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-
- (hydroxycarbonylmethoxy)benzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-(2-hydroxyethoxy)benzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-(3-amino-propoxy)benzamide;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-(2-dimethylamino-ethoxy)benzamide, and;
- 4-(5,6-dichloro-1H-indol-2-yl)-N-(2,2,6,6-tetramethylpiperidin-4-yl)-3-(2,3-hydroxy-propoxy)benzamide.
- 18. (Original) A process for the preparation of a compound of formula (I) as defined in claim 1 or a salt thereof or a solvate thereof, which process comprises the amidation of a compound of formula (II)

$$R_1$$
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $OH$ 
 $OH$ 
 $OH$ 

wherein;

 $R_{1'}$ ,  $R_{2'}$ ,  $R_{3'}$ , and  $R_{4'}$  each respectively represent  $R_1$ ,  $R_2$ ,  $R_3$ , and  $R_4$  as defined in relation to formula (I) or a protected from thereof, with a compound of formula (III)

 $HNR_{s'}R_{t'}$  (III)

wherein;

 $R_{s'}$  and  $R_{t'}$  each represent  $R_{s}$  and  $R_{t}$  as defined in relation to formula (I) or a protected from thereof and thereafter, as necessary, carrying out one or more of the following steps:

- (i) converting one compound of formula (I) into another compound of formula (I);
- (ii) removing any protecting group;
- (iii) preparing a salt or solvate of the compound so formed.
- 19. (Original) A method for the treatment and/or prophylaxis of diseases associated with over activity of osteoclasts in mammals which method comprises the administration of an effective non-toxic amount of a compound of formula (I) as defined in claim 1, or a pharmaceutically acceptable salt thereof, or a pharmaceutically acceptable solvate thereof.
- 20. (Original) A method for the treatment of osteoporosis and related osteopenic diseases in a human or non-human mammal, which comprises administering an effective, non-toxic, amount of a compound of formula (I) as defined in claim 1 or a pharmaceutically acceptable salt thereof or a pharmaceutically acceptable solvate thereof, to a human or non-human mammal in need thereof.

21. (Currently amended) A method for the treatment of tumours, especially those related to renal cancer, melanoma, colon cancer, lung cancer and leukemia, viral conditions (for example those involving Semliki Forest, Vesicular Stomatitis, Newcastle Disease, Influenza A and B, HIV viruses), ulcers (for example chronic gastritis and peptic ulcer induced by Helicobacter pylori), autoimmune diseases, and transplantation, for the treatment and/or prevention of hypercholesterolemic and atherosclerotic diseases, AIDS and Alzheimer's disease, angiogenic diseases, such as rheumatoid arthritis, diabetic retinopathy, psoriasis and solid tumours, in a human or non-human mammal, which comprises administering an effective, non-toxic, amount of a compound of formula I as defined in according to claim 1 or a pharmaceutically acceptable salt thereof or a pharmaceutically acceptable solvate thereof, to a human or non-human mammal in need thereof.

22-25. (Canceled)

26. (Original) A pharmaceutical composition comprising a compound of formula as defined in claim 1 or a pharmaceutically acceptable salt thereof or a pharmaceutically acceptable solvate thereof and a pharmaceutically acceptable carrier therefor.

27-29. (Canceled)